


JANUARY 2015



FINAL

El Segundo South Campus Specific Plan (EA-905) Project ENVIRONMENTAL IMPACT REPORT



PREPARED FOR:
City of El Segundo

PREPARED BY:
RBF Consulting



**FINAL
ENVIRONMENTAL IMPACT REPORT**

**El Segundo South Campus
Specific Plan (EA-905)**

SCH NO. 2012101081



Lead Agency:

CITY OF EL SEGUNDO
Planning and Building Safety Department
350 Main Street
El Segundo, California 90245
Contacts: Ms. Kimberly Christensen, AICP
Mr. Masa Alkire, AICP
310.524.2371

Prepared by:

RBF CONSULTING
14725 Alton Parkway
Irvine, California 92618-2027
Contacts: Mr. Glenn Lajoie, AICP
Ms. Rita Garcia
949.472.3505

January, 2015

JN 10-107917

This document is designed for double-sided printing to conserve natural resources.



TABLE OF CONTENTS

Section 1.0:	Executive Summary	1-1
1.1	Project Location	1-1
1.2	Project Summary.....	1-1
1.3	Goals and Objectives	1-2
1.4	Environmental Issues/Mitigation Summary	1-2
1.5	Summary of Project Alternatives	1-21
Section 2.0:	Introduction and Purpose	2-1
2.1	Purpose of the EIR	2-1
2.2	Compliance with CEQA	2-2
2.3	Notice of Preparation/Early Consultation (Scoping).....	2-3
2.4	Format of the EIR.....	2-4
2.5	Responsible and Trustee Agencies	2-5
2.6	Incorporation by Reference	2-5
Section 3.0:	Project Description.....	3-1
3.1	Project Location and Setting.....	3-1
3.2	Background and History	3-10
3.3	Project Characteristics	3-10
3.4	Phasing/Construction	3-22
3.5	Goals and Objectives	3-23
3.6	Agreements, Permits, and Approvals	3-24
Section 4.0:	Basis of Cumulative Analysis	4-1
Section 5.0:	Environmental Analysis.....	5-1
5.1	Land Use and Planning	5.1-1
5.2	Transportation and Traffic	5.2-1
5.3	Air Quality	5.3-1
5.4	Greenhouse Gas Emissions.....	5.4-1
5.5	Noise.....	5.5-1
5.6	Geology and Soils	5.6-1
5.7	Hazards and Hazardous Materials	5.7-1
5.8	Hydrology and Water Quality.....	5.8-1
5.9	Population and Housing	5.9-1
5.10	Public Services and Recreation.....	5.10-1
5.11	Utilities and Service Systems	5.11-1
Section 6.0:	Other CEQA Considerations	6-1
6.1	Long-Term Implications of the Proposed Project	6-1
6.2	Irreversible Environmental Changes That Would Be Involved In the Proposed Action Should It Be Implemented	6-1
6.3	Growth-Inducing Impacts.....	6-2
6.4	Energy Conservation.....	6-6



TABLE OF CONTENTS (continued)

Section 7.0:	Alternatives to the Proposed Project	7-1
7.1	“No Project” Alternative	7-4
7.2	“Alternative Site” Alternative	7-20
7.3	“Raytheon Only” Alternative	7-20
7.4	“Conceptual Plan with Coral Circle Connection” Alternative	7-28
7.5	“Environmentally Superior” Alternative	7-51
Section 8.0:	Effects Found Not To Be Significant.....	8-1
Section 9.0:	Organizations and Persons Consulted.....	9-1
Section 10.0:	Appendices (under separate cover and contained on CD)	
10.1	Notice of Preparation/Initial Study/Environmental Checklist	
10.2	NOP Comment Letters	
10.3	Traffic Impact Analysis	
10.4	Air Quality/Greenhouse Gas Emissions Data	
10.5	Noise Data	
10.6	Geologic Assessment	
10.7	Existing Hazardous Materials Conditions Assessment	
10.8	Hydrology and Water Quality Technical Study	
10.9	Sewer Area Study	
10.10	Water Supply Assessment	
10.11	Water System Study	
10.12	Utility Correspondence	
Section 11.0:	Mitigation Monitoring and Reporting Program	11-1
Section 12.0:	Comments and Responses	12-1
12.1	CEQA Requirements	12-1
12.2	Public Review Process – Draft EIR	12-1
12.3	Final EIR	12-1
12.4	Written Comment Letters and Responses	12-2
Section 13.0:	Errata to the Draft EIR	13-1



LIST OF EXHIBITS

Exhibit 3-1	Regional Context	3-2
Exhibit 3-2	Local Context	3-3
Exhibit 3-3	Existing Site Plan	3-4
Exhibit 3-4	Existing Onsite Land Uses	3-5
Exhibit 3-5	Local Aerial View	3-9
Exhibit 3-6	Surrounding Land Uses	3-11
Exhibit 3-7	Land Use Plan	3-15
Exhibit 3-8	Conceptual Site Plan.....	3-16
Exhibit 3-9a	Vesting Tentative Map No. 71551	3-20
Exhibit 3-9b	Vesting Tentative Map No. 71551	3-21
Exhibit 4-1	Cumulative Project Locations	4-16
Exhibit 5.2-1	Study Intersection Locations	5.2-11
Exhibit 5.2-2	Existing AM/PM Peak Hour Study Intersection Volumes (Intersections 1 through 18)	5.2-20
Exhibit 5.2-3	Existing AM/PM Peak Hour Study Intersection Volumes (Intersections 19 through 36)	5.2-21
Exhibit 5.2-4	Existing AM/PM Peak Hour Study Intersection Volumes (Intersections 37 through 54)	5.2-22
Exhibit 5.2-5	Existing AM/PM Peak Hour Study Intersection Volumes (Intersections 55 through 71)	5.2-23
Exhibit 5.2-6	Existing Study Intersection Geometry (Intersections 1 through 18)	5.2-24
Exhibit 5.2-7	Existing Study Intersection Geometry (Intersections 19 through 36)	5.2-25
Exhibit 5.2-8	Existing Study Intersection Geometry (Intersections 37 through 54)	5.2-26
Exhibit 5.2-9	Existing Study Intersection Geometry (Intersections 55 through 71)	5.2-27
Exhibit 5.2-10	Proposed Project Percent Trip Distribution (Retail Component)	5.2-39
Exhibit 5.2-11	Proposed Project Percent Trip Distribution (Non-Retail Component)	5.2-40



LIST OF EXHIBITS (continued)

Exhibit 5.2-12	Forecast AM/PM Peak Hour Trip Assignment of Phase 1 Project (Intersections 1 through 18)	5.2-41
Exhibit 5.2-13	Forecast AM/PM Peak Hour Trip Assignment of Phase 1 Project (Intersections 19 through 36)	5.2-42
Exhibit 5.2-14	Forecast AM/PM Peak Hour Trip Assignment of Phase 1 Project (Intersections 37 through 54)	5.2-43
Exhibit 5.2-15	Forecast AM/PM Peak Hour Trip Assignment of Phase 1 Project (Intersections 55 through 71)	5.2-44
Exhibit 5.2-16	Forecast AM/PM Peak Hour Trip Assignment of Project Buildout (Intersections 1 through 18)	5.2-45
Exhibit 5.2-17	Forecast AM/PM Peak Hour Trip Assignment of Project Buildout (Intersections 19 through 36)	5.2-46
Exhibit 5.2-18	Forecast AM/PM Peak Hour Trip Assignment of Project Buildout (Intersections 37 through 54)	5.2-47
Exhibit 5.2-19	Forecast AM/PM Peak Hour Trip Assignment of Project Buildout (Intersections 55 through 71)	5.2-48
Exhibit 5.2-20	Forecast Existing With Project Buildout Conditions Peak Hour Study Intersection Volumes (Intersections 1 through 18)	5.2-52
Exhibit 5.2-21	Forecast Existing With Project Buildout Conditions Peak Hour Study Intersection Volumes (Intersections 19 through 36).....	5.2-53
Exhibit 5.2-22	Forecast Existing With Project Buildout Conditions Peak Hour Study Intersection Volumes (Intersections 37 through 54).....	5.2-54
Exhibit 5.2-23	Forecast Existing With Project Buildout Conditions Peak Hour Study Intersection Volumes (Intersections 55 through 71).....	5.2-55
Exhibit 5.2-24	Forecast Near-Term Without Project Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 1 through 18)	5.2-60
Exhibit 5.2-25	Forecast Near-Term Without Project Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 19 through 36).....	5.2-61
Exhibit 5.2-26	Forecast Near-Term Without Project Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 37 through 54).....	5.2-62
Exhibit 5.2-27	Forecast Near-Term Without Project Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 55 through 71).....	5.2-63



LIST OF EXHIBITS (continued)

Exhibit 5.2-28	Forecast Near-Term With Project Phase 1 Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 1 through 18)	5.2-69
Exhibit 5.2-29	Forecast Near-Term With Project Phase 1 Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 19 through 36).....	5.2-70
Exhibit 5.2-30	Forecast Near-Term With Project Phase 1 Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 37 through 54).....	5.2-71
Exhibit 5.2-31	Forecast Near-Term With Project Phase 1 Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 55 through 71).....	5.2-72
Exhibit 5.2-32	Forecast Long-Range Without Project Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 1 through 18)	5.2-80
Exhibit 5.2-33	Forecast Long-Range Without Project Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 19 through 36).....	5.2-81
Exhibit 5.2-34	Forecast Long-Range Without Project Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 37 through 54).....	5.2-82
Exhibit 5.2-35	Forecast Long-Range Without Project Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 55 through 71).....	5.2-83
Exhibit 5.2-36	Forecast Long-Range With Project Buildout Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 1 through 18).....	5.2-92
Exhibit 5.2-37	Forecast Long-Range With Project Buildout Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 19 through 36).....	5.2-93
Exhibit 5.2-38	Forecast Long-Range With Project Buildout Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 37 through 54).....	5.2-94
Exhibit 5.2-39	Forecast Long-Range With Project Buildout Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 55 through 71).....	5.2-95
Exhibit 5.2-40	Mitigated Forecast Long-Range With Project Buildout Conditions Study Intersection Geometry (Intersections 29, 32, and 48)	5.2-98
Exhibit 5.2-41	Mitigated Forecast Long-Range With Project Buildout Conditions Study Intersection Geometry (Intersections 49, 50, 53, and 55)	5.2-99
Exhibit 5.2-42	Mitigated Forecast Long-Range With Project Buildout Conditions State Highway Study Intersection Geometry (Intersections 13 and 57) ...	5.2-105



LIST OF EXHIBITS (continued)

Exhibit 5.6-1	Geologic Map.....	5.6-7
Exhibit 5.6-2	Fault Location and Seismicity Map.....	5.6-11
Exhibit 5.8-1	Existing Conditions Hydrology.....	5.8-9
Exhibit 5.8-2	Existing Stormwater and Site Drainage System	5.8-11
Exhibit 5.8-3	Proposed Stormwater and Site Drainage System	5.8-20
Exhibit 5.8-4	Proposed Conditions Hydrology	5.8-21
Exhibit 5.11-1	Existing Potable Water System	5.11-13
Exhibit 5.11-2	Existing Reclaimed Water System	5.11-14
Exhibit 5.11-3	Existing Sewer System	5.11-16
Exhibit 5.11-4	Sewer Network Diagram	5.11-18
Exhibit 5.11-5	Existing Dry Utilities	5.11-22
Exhibit 5.11-6	Proposed Potable Water System	5.11-27
Exhibit 5.11-7	Proposed Water System Node Diagram.....	5.11-28
Exhibit 5.11-8	Proposed Reclaimed Water System.....	5.11-30
Exhibit 5.11-9	Proposed Sewer System.....	5.11-31
Exhibit 5.11-10	Proposed Dry Utilities.....	5.11-38
Exhibit 7-1	Proposed Project With Coral Circle Connection Alternative Percent Trip Distribution (Retail Component)	7-30
Exhibit 7-2	Proposed Project With Coral Circle Connection Alternative Percent Trip Distribution (Non-Retail Component)	7-31
Exhibit 7-3	Forecast AM/PM Peak Hour Trip Assignment of Project Buildout With Coral Circle Connection Alternative (Intersections 1 through 18).....	7-32
Exhibit 7-4	Forecast AM/PM Peak Hour Trip Assignment of Project Buildout With Coral Circle Connection Alternative (Intersections 19 through 36).....	7-33
Exhibit 7-5	Forecast AM/PM Peak Hour Trip Assignment of Project Buildout With Coral Circle Connection Alternative (Intersections 37 through 54).....	7-34



LIST OF EXHIBITS (continued)

Exhibit 7-6	Forecast AM/PM Peak Hour Trip Assignment of Project Buildout With Coral Circle Connection Alternative (Intersections 55 through 71).....	7-35
Exhibit 7-7	Forecast Long-Range With Project Buildout With Coral Circle Alternative Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 1 through 18)	7-37
Exhibit 7-8	Forecast Long-Range With Project Buildout With Coral Circle Alternative Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 19 through 36)	7-38
Exhibit 7-9	Forecast Long-Range With Project Buildout With Coral Circle Alternative Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 37 through 54)	7-39
Exhibit 7-10	Forecast Long-Range With Project Buildout With Coral Circle Alternative Conditions AM/PM Peak Hour Study Intersection Volumes (Intersections 55 through 71)	7-40
Exhibit 7-11	Mitigated Forecast Long-Range With Project Buildout With Coral Circle Alternative Conditions Study Intersection Geometry (Intersections 29, 32, and 48).....	7-45
Exhibit 7-12	Mitigated Forecast Long-Range With Project Buildout With Coral Circle Alternative Conditions Study Intersection Geometry (Intersections 49, 53, and 55).....	7-46



LIST OF TABLES

Table 3-1	Existing Development	3-7
Table 3-2	Existing General Plan Designations and Zoning	3-8
Table 3-3	Conceptual Development Scenario	3-14
Table 3-4	Land Use Summary	3-17
Table 3-5	Conceptual Phasing Schedule	3-23
Table 4-1	Cumulative Projects List – City of El Segundo	4-2
Table 4-2	Cumulative Projects List – Other Jurisdictions	4-4
Table 5.1-1	General Plan Consistency Analysis	5.1-8
Table 5.1-2	Existing Land Uses	5.1-19
Table 5.1-3	SCAG Consistency Analysis	5.1-22
Table 5.1-4	Change in Land Use	5.1-25
Table 5.2-1	ICU LOS and V/C Ratios for Signalized Intersections	5.2-6
Table 5.2-2	HCM LOS and Delay Ranges for Unsignalized Intersections	5.2-6
Table 5.2-3	State-Controlled Intersection HCM LOS and Delay Ranges	5.2-7
Table 5.2-4	Study Intersection by Jurisdiction	5.2-7
Table 5.2-5	Existing Conditions Peak Hour Study Intersection LOS.....	5.2-18
Table 5.2-6	Existing Conditions Peak Hour State Highway Study Intersection LOS.....	5.2-28
Table 5.2-7	Existing Conditions Off-Ramp Queue Analysis	5.2-30
Table 5.2-8	Existing and Proposed Land Use Summary	5.2-34
Table 5.2-9	ITE Trip Generation Rates for Phase 1 Project Land Uses	5.2-35
Table 5.2-10	ITE Trip Generation Rates for Phase 2 Project Land Uses	5.2-35
Table 5.2-11	Pass-by Trip Reduction Percentage Applicable to Proposed Project.....	5.2-36
Table 5.2-12	ITE Internal Trip Capture Percentages for Project.....	5.2-36
Table 5.2-13	Forecast Trip Generation of Phase 1 Project	5.2-37



LIST OF TABLES (continued)

Table 5.2-14	Forecast Trip Generation of Project Buildout.....	5.2-38
Table 5.2-15	Forecast Existing With Project Buildout Conditions Peak Hour Study Intersection LOS	5.2-49
Table 5.2-16	Forecast Existing With Project Buildout Conditions Peak Hour State Highway Study Intersection LOS.....	5.2-57
Table 5.2-17	Forecast Existing With Project Buildout Conditions Off-Ramp Queue Analysis	5.2-59
Table 5.2-18	Forecast Near-Term Without Project Conditions Peak Hour Study Intersection LOS	5.2-64
Table 5.2-19	Forecast Near-Term Without Project Conditions Peak Hour State Highway Study Intersection LOS.....	5.2-66
Table 5.2-20	Forecast Near-Term Without Project Conditions Off-Ramp Queue Analysis	5.2-68
Table 5.2-21	Forecast Near-Term With Phase 1 Project Conditions Peak Hour Study Intersection LOS	5.2-73
Table 5.2-22	Forecast Near-Term With Phase 1 Project Conditions Peak Hour State Highway Study Intersection LOS.....	5.2-77
Table 5.2-23	Forecast Near-Term Without Project and Forecast Near-Term With Phase I Project Conditions Off-Ramp Queue Analysis	5.2-79
Table 5.2-24	Forecast Long-Range Without Project Conditions Peak Hour Study Intersection LOS	5.2-84
Table 5.2-25	Forecast Long-Range Without Project Conditions Peak Hour State Highway Intersection LOS.....	5.2-87
Table 5.2-26	Forecast Long-Range Without Project Conditions Off-Ramp Queue Analysis	5.2-88
Table 5.2-27	Forecast Long-Range With Project Buildout Conditions Peak Hour Study Intersection LOS	5.2-89
Table 5.2-28	Mitigated Forecast Long-Range With Project Buildout Conditions Peak Hour Intersection LOS	5.2-100
Table 5.2-29	Forecast Long-Range With Project Buildout Conditions Peak Hour State Highway Study Intersection LOS.....	5.2-101



LIST OF TABLES (continued)

Table 5.2-30	Mitigated Forecast Long-Range With Project Buildout Conditions Peak Hour State Highway Study Intersection LOS.....	5.2-104
Table 5.2-31	Forecast Long-Range Without Project and Forecast Long-Range With Project Buildout Conditions Off-Ramp Queue Analysis	5.2-106
Table 5.2-32	Forecast Existing With Project Buildout Conditions CMP Study Intersection Peak Hour LOS.....	5.2-112
Table 5.2-33	Forecast Near-Term With Phase 1 Project Conditions CMP Study Intersection Peak Hour LOS.....	5.2-113
Table 5.2-34	Forecast Long-Range With Project Buildout Conditions CMP Study Intersection Peak Hour LOS.....	5.2-114
Table 5.2-35	CMP Transit Trip Generation of Proposed Project	5.2-116
Table 5.3-1	National and California Ambient Air Quality Standards.....	5.3-2
Table 5.3-2	Measured Air Quality Levels	5.3-6
Table 5.3-3	Surrounding Off-Site Sensitive Receptors.....	5.3-9
Table 5.3-4	SCAQMD Regional Pollutant Emission Thresholds of Significance.....	5.3-10
Table 5.3-5	Maximum Daily Pollutant Emissions During Construction	5.3-13
Table 5.3-6	Long-Term Operational Air Emissions.....	5.3-18
Table 5.3-7	Localized Significance of Emissions.....	5.3-21
Table 5.4-1	Business As Usual Greenhouse Gas Emissions	5.4-14
Table 5.4-2	Mitigated Greenhouse Gas Emissions	5.4-16
Table 5.5-1	Exterior and Interior Compatibility Standards	5.5-2
Table 5.5-2	Sound Levels and Human Response	5.5-4
Table 5.5-3	Noise Descriptors.....	5.5-5
Table 5.5-4	Surrounding Off-Site Sensitive Receptors.....	5.5-8
Table 5.5-5	Noise Measurements	5.5-8
Table 5.5-6	Existing Traffic Noise Levels	5.5-9



LIST OF TABLES (continued)

Table 5.5-7	Maximum Noise Levels Generated by Construction Equipment	5.5-14
Table 5.5-8	Typical Vibration Levels for Construction Equipment	5.5-16
Table 5.5-9	Forecast Year 2015 Noise Scenario.....	5.5-18
Table 5.5-10	Forecast Long Range Noise Scenario.....	5.5-20
Table 5.5-11	Maximum Noise Levels Generated by Parking Lots	5.5-22
Table 5.5-12	Cumulative Noise Scenario	5.5-25
Table 5.6-1	Summary of Active Faults and Generalized Earthquake Information.....	5.6-12
Table 5.8-1	Existing Flowrates.....	5.8-7
Table 5.8-2	Comparison of 25-Year Hydrology	5.8-23
Table 5.8-3	SUSMP (or Functional Equivalent) Calculations, 0.75-inch	5.8-25
Table 5.9-1	El Segundo RHNA Allocation 2013-2021	5.9-2
Table 5.9-2	El Segundo Adjusted RHNA Allocation 2014-2021	5.9-3
Table 5.9-3	Population Estimates and Projections	5.9-3
Table 5.9-4	Household and Housing Estimates and Projections	5.9-5
Table 5.9-5	Labor Force and Employment Estimates	5.9-6
Table 5.9-6	Employment Estimates and Projections	5.9-6
Table 5.9-7	Project Employment Forecast	5.9-9
Table 5.9-8	Project Compared to Existing Conditions	5.9-9
Table 5.10-1	Wiseburn School District Facilities	5.10-5
Table 5.10-2	Centinela Valley Union High School District Facilities	5.10-5
Table 5.11-1	Existing Potable Water Demand	5.11-11
Table 5.11-2	Existing Wastewater Generation	5.11-15
Table 5.11-3	Flow Monitoring Data Summary (Aviation Boulevard and Hawaii Street) ...	5.11-17



LIST OF TABLES (continued)

Table 5.11-4	Flow Monitoring Data Summary (El Segundo Boulevard).....	5.11-19
Table 5.11-5	Existing Solid Waste Generation.....	5.11-20
Table 5.11-6	Project Potable Water Demand.....	5.11-25
Table 5.11-7	Proposed Total Potable Water Demand.....	5.11-25
Table 5.11-8	Project Wastewater Generation	5.11-32
Table 5.11-9	Project Solid Waste Generation	5.11-36
Table 5.11-10	Landfill Capacities.....	5.11-37
Table 5.11-11	Project Electrical Demand.....	5.11-39
Table 5.11-12	Project Natural Gas Demand	5.11-41
Table 6-1	Project Compared to SCAG Growth Forecasts	6-5
Table 7-1	Comparison of Proposed Project and No Project/Existing Entitlement Alternative	7-13
Table 7-2	Comparison of Proposed Project and No Project/Existing Entitlement Alternative Daily Trip Generation	7-14
Table 7-3	No Project/Existing Entitlement Alternative Operational Emissions	7-15
Table 7-4	Comparison of Proposed Project and No Project/ Existing Entitlement Alternative Employment Generation.....	7-19
Table 7-5	Comparison of Proposed Project and Raytheon Only Alternative.....	7-21
Table 7-6	Comparison of Proposed Project and Raytheon Only Alternative Daily Trip Generation	7-22
Table 7-7	Raytheon Only Alternative Operational Emissions	7-24
Table 7-8	Comparison of Proposed Project and Raytheon Only Alternative Employment Generation	7-27
Table 7-9	Forecast Long-Range With Project Buildout With Coral Circle Connection Alternative Conditions AM/PM Peak Hour Study Intersection LOS.....	7-41
Table 7-10	Mitigated Forecast Long-Range With Project Buildout With Coral Circle Connection Alternative Conditions AM/PM Peak Hour Intersection LOS	7-44



LIST OF TABLES (continued)

Table 7-11	Forecast Long-Range With Project Buildout With Coral Circle Connection Alternative Conditions AM/PM Peak Hour State Highway Intersection LOS	7-47
Table 7-12	Mitigated Forecast Long-Range With Project Buildout With Coral Circle Connection Alternative Conditions AM/PM Peak Hour State Highway Study Intersection LOS	7-48
Table 7-13	Forecast Long-Range Without Project and Forecast Long-Range With Project Buildout With Coral Circle Connection Alternative Conditions Off-Ramp Queue Analysis	7-49
Table 7-14	Forecast Long-Range With Project Buildout Conditions With Coral Circle Alternative Conditions CMP Study Intersection Peak Hour LOS.....	7-50
Table 7-15	Comparison of Alternatives	7-51



This page intentionally left blank.



ENVIRONMENTAL IMPACT REPORT AND APPENDICES ON CD



This page intentionally left blank.